



CL118 Inox Stub Drill  
Main Application: Stainless Steel

HSS Co.5%  
35°-40° Helix  
135° S Point




Dimensions (mm)			CL118 Quartz		CL118 Titanite	
Diameter (D)	Overall Length (L)	Flute Length (l)	Part Number		Part Number	
2	38	12	CAR611800200		CAR711800200	
2.1	38	12	CAR611800210		CAR711800210	
2.2	40	13	CAR611800220		CAR711800220	
2.25	40	13	CAR611800225		CAR711800225	
2.3	40	13	CAR611800230		CAR711800230	
2.4	43	14	CAR611800240		CAR711800240	
2.5	43	14	CAR611800250		CAR711800250	
2.6	43	14	CAR611800260		CAR711800260	
2.7	46	16	CAR611800270		CAR711800270	
2.75	46	16	CAR611800275		CAR711800275	
2.8	46	16	CAR611800280		CAR711800280	
2.9	46	16	CAR611800290		CAR711800290	
3	46	16	CAR611800300		CAR711800300	
3.1	49	18	CAR611800310		CAR711800310	
3.2	49	18	CAR611800320		CAR711800320	
3.25	49	18	CAR611800325		CAR711800325	
3.3	49	18	CAR611800330		CAR711800330	
3.4	52	20	CAR611800340		CAR711800340	
3.5	52	20	CAR611800350		CAR711800350	
3.6	52	20	CAR611800360		CAR711800360	
3.7	52	20	CAR611800370		CAR711800370	
3.75	52	20	CAR611800375		CAR711800375	
3.8	55	22	CAR611800380		CAR711800380	
3.9	55	22	CAR611800390		CAR711800390	
4	55	22	CAR611800400		CAR711800400	
4.1	55	22	CAR611800410		CAR711800410	
4.2	55	22	CAR611800420		CAR711800420	
4.25	55	22	CAR611800425		CAR711800425	
4.3	58	24	CAR611800430		CAR711800430	
4.4	58	24	CAR611800440		CAR711800440	
4.5	58	24	CAR611800450		CAR711800450	
4.6	58	24	CAR611800460		CAR711800460	
4.7	58	24	CAR611800470		CAR711800470	
4.75	58	24	CAR611800475		CAR711800475	
4.8	62	26	CAR611800480		CAR711800480	
4.9	62	26	CAR611800490		CAR711800490	
5	62	26	CAR611800500		CAR711800500	
5.1	62	26	CAR611800510		CAR711800510	
5.2	62	26	CAR611800520		CAR711800520	
5.25	62	26	CAR611800525		CAR711800525	
5.3	62	26	CAR611800530		CAR711800530	
5.4	66	28	CAR611800540		CAR711800540	
5.5	66	28	CAR611800550		CAR711800550	
5.6	66	28	CAR611800560		CAR711800560	
5.7	66	28	CAR611800570		CAR711800570	
5.75	66	28	CAR611800575		CAR711800575	
5.8	66	28	CAR611800580		CAR711800580	
5.9	66	28	CAR611800590		CAR711800590	
6	66	28	CAR611800600		CAR711800600	
6.1	70	31	CAR611800610		CAR711800610	



CL118 Inox Stub Drill  
Main Application: Stainless Steel

HSS Co.8%  
35°-40° Helix  
130° W Point

Dimensions (mm)			CL118 Quartz		CL118 Titanite	
Diameter (D)	Overall Length (L)	Flute Length (l)	Part Number		Part Number	
6.2	70	31	CAR611800620		CAR711800620	
6.25	70	31	CAR611800625		CAR711800625	
6.3	70	31	CAR611800630		CAR711800630	
6.4	70	31	CAR611800640		CAR711800640	
6.5	70	31	CAR611800650		CAR711800650	
6.6	70	31	CAR611800660		CAR711800660	
6.7	70	31	CAR611800670		CAR711800670	
6.75	74	34	CAR611800675		CAR711800675	
6.8	74	34	CAR611800680		CAR711800680	
6.9	74	34	CAR611800690		CAR711800690	
7	74	34	CAR611800700		CAR711800700	
7.1	74	34	CAR611800710		CAR711800710	
7.2	74	34	CAR611800720		CAR711800720	
7.25	74	34	CAR611800725		CAR711800725	
7.3	74	34	CAR611800730		CAR711800730	
7.4	74	34	CAR611800740		CAR711800740	
7.5	74	34	CAR611800750		CAR711800750	
7.6	79	37	CAR611800760		CAR711800760	
7.7	79	37	CAR611800770		CAR711800770	
7.75	79	37	CAR611800775		CAR711800775	
7.8	79	37	CAR611800780		CAR711800780	
7.9	79	37	CAR611800790		CAR711800790	
8	79	37	CAR611800800		CAR711800800	
8.1	79	37	CAR611800810		CAR711800810	
8.2	79	37	CAR611800820		CAR711800820	
8.25	79	37	CAR611800825		CAR711800825	
8.3	79	37	CAR611800830		CAR711800830	
8.4	79	37	CAR611800840		CAR711800840	
8.5	79	37	CAR611800850		CAR711800850	
8.6	84	40	CAR611800860		CAR711800860	
8.7	84	40	CAR611800870		CAR711800870	
8.75	84	40	CAR611800875		CAR711800875	
8.8	84	40	CAR611800880		CAR711800880	
8.9	84	40	CAR611800890		CAR711800890	
9	84	40	CAR611800900		CAR711800900	
9.1	84	40	CAR611800910		CAR711800910	
9.2	84	40	CAR611800920		CAR711800920	
9.25	84	40	CAR611800925		CAR711800925	
9.3	84	40	CAR611800930		CAR711800930	
9.4	84	40	CAR611800940		CAR711800940	
9.5	84	40	CAR611800950		CAR711800950	
9.6	89	43	CAR611800960		CAR711800960	
9.7	89	43	CAR611800970		CAR711800970	
9.75	89	43	CAR611800975		CAR711800975	
9.8	89	43	CAR611800980		CAR711800980	
9.9	89	43	CAR611800990		CAR711800990	
10	89	43	CAR611801000		CAR711801000	
10.1	89	43	CAR611801010		CAR711801010	
10.2	89	43	CAR611801020		CAR711801020	
10.25	89	43	CAR611801025		CAR711801025	
10.3	89	43	CAR611801030		CAR711801030	
10.4	89	43	CAR611801040		CAR711801040	
10.5	89	43	CAR611801050		CAR711801050	
10.6	89	43	CAR611801060		CAR711801060	
10.7	95	47	CAR611801070		CAR711801070	
10.75	95	47	CAR611801075		CAR711801075	
10.8	95	47	CAR611801080		CAR711801080	
10.9	95	47	CAR611801090		CAR711801090	



CL118 Inox Stub Drill  
Main Application: Stainless Steel

HSS Co.5%  
35°-40° Helix  
135° S Point

Dimensions (mm)			CL118 Quartz		CL118 Titanite	
Diameter (D)	Overall Length (L)	Flute Length (l)	Part Number		Part Number	
11	95	47	CAR611801100		CAR711801100	
11.1	95	47	CAR611801110		CAR711801110	
11.2	95	47	CAR611801120		CAR711801120	
11.25	95	47	CAR611801125		CAR711801125	
11.3	95	47	CAR611801130		CAR711801130	
11.4	95	47	CAR611801140		CAR711801140	
11.5	95	47	CAR611801150		CAR711801150	
11.6	95	47	CAR611801160		CAR711801160	
11.7	95	47	CAR611801170		CAR711801170	
11.75	95	47	CAR611801175		CAR711801175	
11.8	95	47	CAR611801180		CAR711801180	
11.9	102	51	CAR611801190		CAR711801190	
12	102	51	CAR611801200		CAR711801200	
12.1	102	51	CAR611801210		CAR711801210	
12.2	102	51	CAR611801220		CAR711801220	
12.25	102	51	CAR611801225		CAR711801225	
12.3	102	51	CAR611801230		CAR711801230	
12.4	102	51	CAR611801240		CAR711801240	
12.5	102	51	CAR611801250		CAR711801250	
12.6	102	51	CAR611801260		CAR711801260	
12.7	102	51	CAR611801270		CAR711801270	
12.75	102	51	CAR611801275		CAR711801275	
12.8	102	51	CAR611801280		CAR711801280	
12.9	102	51	CAR611801290		CAR711801290	
13	102	51	CAR611801300		CAR711801300	
13.5	107	54	CAR611801350		CAR711801350	
14	107	54	CAR611801400		CAR711801400	
14.5	111	56	CAR611801450		CAR711801450	
15	111	56	CAR611801500		CAR711801500	
15.5	115	58	CAR611801550		CAR711801550	
16	115	58	CAR611801600		CAR711801600	

