


CL119 Inox Standard Length Drill
Main Application: Stainless Steel

HSS Co5% 135° Point
35°-40° Helix



Dimensions (mm)			CL119 Quartz		CL119 Titanite	
Diameter (D)	Overall Length (L)	Flute Length (l)	Part Number	Price Each	Part Number	Price Each
2	49	24	CAR611900200		CAR711900200	
2.1	49	24	CAR611900210		CAR711900210	
2.2	53	27	CAR611900220		CAR711900220	
2.25	53	27	CAR611900225		CAR711900225	
2.3	53	27	CAR611900230		CAR711900230	
2.4	57	30	CAR611900240		CAR711900240	
2.5	57	30	CAR611900250		CAR711900250	
2.6	57	30	CAR611900260		CAR711900260	
2.7	61	33	CAR611900270		CAR711900270	
2.75	61	33	CAR611900275		CAR711900275	
2.8	61	33	CAR611900280		CAR711900280	
2.9	61	33	CAR611900290		CAR711900290	
3	61	33	CAR611900300		CAR711900300	
3.1	65	36	CAR611900310		CAR711900310	
3.2	65	36	CAR611900320		CAR711900320	
3.25	65	36	CAR611900325		CAR711900325	
3.3	65	36	CAR611900330		CAR711900330	
3.4	70	39	CAR611900340		CAR711900340	
3.5	70	39	CAR611900350		CAR711900350	
3.6	70	39	CAR611900360		CAR711900360	
3.7	70	39	CAR611900370		CAR711900370	
3.75	70	39	CAR611900375		CAR711900375	
3.8	75	43	CAR611900380		CAR711900380	
3.9	75	43	CAR611900390		CAR711900390	
4	75	43	CAR611900400		CAR711900400	
4.1	75	43	CAR611900410		CAR711900410	
4.2	75	43	CAR611900420		CAR711900420	
4.25	75	43	CAR611900425		CAR711900425	
4.3	80	47	CAR611900430		CAR711900430	
4.4	80	47	CAR611900440		CAR711900440	
4.5	80	47	CAR611900450		CAR711900450	
4.6	80	47	CAR611900460		CAR711900460	
4.7	80	47	CAR611900470		CAR711900470	
4.75	80	47	CAR611900475		CAR711900475	
4.8	86	52	CAR611900480		CAR711900480	
4.9	86	52	CAR611900490		CAR711900490	
5	86	52	CAR611900500		CAR711900500	
5.1	86	52	CAR611900510		CAR711900510	
5.2	86	52	CAR611900520		CAR711900520	
5.25	86	52	CAR611900525		CAR711900525	
5.3	86	52	CAR611900530		CAR711900530	
5.4	93	57	CAR611900540		CAR711900540	
5.5	93	57	CAR611900550		CAR711900550	
5.6	93	57	CAR611900560		CAR711900560	
5.7	93	57	CAR611900570		CAR711900570	
5.75	93	57	CAR611900575		CAR711900575	
5.8	93	57	CAR611900580		CAR711900580	
5.9	93	57	CAR611900590		CAR711900590	
6	93	57	CAR611900600		CAR711900600	




CL119 Inox Standard Length Drill
Main Application: Stainless Steel

HSS Co5% 135° Point
35°-40° Helix

Dimensions (mm)			CL119 Quartz		CL119 Titanite	
Diameter (D)	Overall Length (L)	Flute Length (l)	Part Number	Price Each	Part Number	Price Each
6.1	101	63	CAR611900610		CAR711900610	
6.2	101	63	CAR611900620		CAR711900620	
6.25	101	63	CAR611900625		CAR711900625	
6.3	101	63	CAR611900630		CAR711900630	
6.4	101	63	CAR611900640		CAR711900640	
6.5	101	63	CAR611900650		CAR711900650	
6.6	101	63	CAR611900660		CAR711900660	
6.7	101	63	CAR611900670		CAR711900670	
6.75	109	69	CAR611900675		CAR711900675	
6.8	109	69	CAR611900680		CAR711900680	
6.9	109	69	CAR611900690		CAR711900690	
7	109	69	CAR611900700		CAR711900700	
7.1	109	69	CAR611900710		CAR711900710	
7.2	109	69	CAR611900720		CAR711900720	
7.25	109	69	CAR611900725		CAR711900725	
7.3	109	69	CAR611900730		CAR711900730	
7.4	109	69	CAR611900740		CAR711900740	
7.5	109	69	CAR611900750		CAR711900750	
7.6	117	75	CAR611900760		CAR711900760	
7.7	117	75	CAR611900770		CAR711900770	
7.75	117	75	CAR611900775		CAR711900775	
7.8	117	75	CAR611900780		CAR711900780	
7.9	117	75	CAR611900790		CAR711900790	
8	117	75	CAR611900800		CAR711900800	
8.1	117	75	CAR611900810		CAR711900810	
8.2	117	75	CAR611900820		CAR711900820	
8.25	117	75	CAR611900825		CAR711900825	
8.3	117	75	CAR611900830		CAR711900830	
8.4	117	75	CAR611900840		CAR711900840	
8.5	117	75	CAR611900850		CAR711900850	
8.6	125	81	CAR611900860		CAR711900860	
8.7	125	81	CAR611900870		CAR711900870	
8.75	125	81	CAR611900875		CAR711900875	
8.8	125	81	CAR611900880		CAR711900880	
8.9	125	81	CAR611900890		CAR711900890	
9	125	81	CAR611900900		CAR711900900	
9.1	125	81	CAR611900910		CAR711900910	
9.2	125	81	CAR611900920		CAR711900920	
9.25	125	81	CAR611900925		CAR711900925	
9.3	125	81	CAR611900930		CAR711900930	
9.4	125	81	CAR611900940		CAR711900940	
9.5	125	81	CAR611900950		CAR711900950	
9.6	133	87	CAR611900960		CAR711900960	
9.7	133	87	CAR611900970		CAR711900970	
9.75	133	87	CAR611900975		CAR711900975	
9.8	133	87	CAR611900980		CAR711900980	
9.9	133	87	CAR611900990		CAR711900990	
10	133	87	CAR611901000		CAR711901000	
10.1	133	87	CAR611901010		CAR711901010	
10.2	133	87	CAR611901020		CAR711901020	
10.25	133	87	CAR611901025		CAR711901025	
10.3	133	87	CAR611901030		CAR711901030	
10.4	133	87	CAR611901040		CAR711901040	
10.5	133	87	CAR611901050		CAR711901050	
10.6	133	87	CAR611901060		CAR711901060	
10.7	142	94	CAR611901070		CAR711901070	
10.75	142	94	CAR611901075		CAR711901075	
10.8	142	94	CAR611901080		CAR711901080	

CL119 Inox Standard Length Drill
Main Application: Stainless Steel

HSS Co5% 135° Point
35°-40° Helix



Dimensions (mm)			CL119 Quartz		CL119 Titanite	
Diameter (D)	Overall Length (L)	Flute Length (l)	Part Number	Price Each	Part Number	Price Each
10.9	142	94	CAR611901090		CAR711901090	
11	142	94	CAR611901100		CAR711901100	
11.1	142	94	CAR611901110		CAR711901110	
11.2	142	94	CAR611901120		CAR711901120	
11.25	142	94	CAR611901125		CAR711901125	
11.3	142	94	CAR611901130		CAR711901130	
11.4	142	94	CAR611901140		CAR711901140	
11.5	142	94	CAR611901150		CAR711901150	
11.6	142	94	CAR611901160		CAR711901160	
11.7	142	94	CAR611901170		CAR711901170	
11.75	142	94	CAR611901175		CAR711901175	
11.8	142	94	CAR611901180		CAR711901180	
11.9	151	101	CAR611901190		CAR711901190	
12	151	101	CAR611901200		CAR711901200	
12.1	151	101	CAR611901210		CAR711901210	
12.2	151	101	CAR611901220		CAR711901220	
12.25	151	101	CAR611901225		CAR711901225	
12.3	151	101	CAR611901230		CAR711901230	
12.4	151	101	CAR611901240		CAR711901240	
12.5	151	101	CAR611901250		CAR711901250	
12.6	151	101	CAR611901260		CAR711901260	
12.7	151	101	CAR611901270		CAR711901270	
12.75	151	101	CAR611901275		CAR711901275	
12.8	151	101	CAR611901280		CAR711901280	
12.9	151	101	CAR611901290		CAR711901290	
13	151	101	CAR611901300		CAR711901300	
13.5	160	108	CAR611901350		CAR711901350	
14	160	108	CAR611901400		CAR711901400	
14.5	169	114	CAR611901450		CAR711901450	
15	169	114	CAR611901500		CAR711901500	
15.5	178	120	CAR611901550		CAR711901550	
16	178	120	CAR611901600		CAR711901600	

