

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: RENOCLEAN ALKALINE CLEANER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Alkaline cleaner/ detergent

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier FUCHS LUBRICANTS (UK) PLC.

New Century Street

Hanley

Stoke-on-Trent, Staffordshire, ST1 5HU

UK

Telephone: +44 (0) 1782 203700

Contact Person: Product Safety department Telephone: +44 (0) 1782 203700

E-mail: product.safety@fuchs-oil.com

1.4 Emergency telephone number: UK NHS: Dial 111. Ireland NPIS: Dial +353 1 8092566.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Skin corrosion Category 1A H314: Causes severe skin burns and eye

damage.

Serious eye damage Category 1 H318: Causes serious eye damage.

Hazard summary

Physical Hazards: No data available.

2.2 Label Elements

Contains: Fatty alcohol ethoxylate

Potassium hydroxide

Issue Date: 24.04.2015 Revision Date: 11.10.2016

Print date: 11.10.2016

SDS_GB - EN - 000000000600049201

Version: 1.3





Signal Words: Danger

Hazard Statement(s): H314: Causes severe skin burns and eye damage.

Precautionary Statements

Prevention: P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Response: P303+P361+P353: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. P310: Immediately call a POISON CENTER/doctor.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular

hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the

environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture based on (strong) alkalinic components, tensides and stabilizers.

This product is applied only as solution or emulsion in water.

Chemical name	Identifier		REACH Registration No.	Notes
Fatty alcohol ethoxylate	Polymer	3,00 - <5,00%		
phosphate	EINECS: 230-785-7	1,00 - <5,00%	01-2119489369-18	
Potassium hydroxide	EINECS: 215-181-3	1,00 - <3,00%	01-2119487136-33	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.PBT: persistent, bioaccumulative and toxic substance.

Issue Date: 24.04.2015 Revision Date: 11.10.2016 Print date: 11.10.2016

Print date: 11.10.2016 SDS_GB - EN - 00000000600049201

vPvB: very persistent and very bioaccumulative substance.



Classification

Chemical name	Identifier	Classification	
Fatty alcohol ethoxylate	Polymer	CLP:	Eye Dam. 1;H318, Acute Tox. 4;H302
phosphate	EINECS: 230-785-7	CLP:	Eye Irrit. 2;H319
Potassium hydroxide	EINECS: 215-181-3		Acute Tox. 4;H302, Skin Corr. 1A;H314, Met. Corr. 1;H290

CLP: Regulation No. 1272/2008.

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: If breathing stops, provide artificial respiration. If breathing is difficult, give

oxygen. Supply fresh air; consult doctor in case of symptoms. (eventually

by inhaling the overheated product)

Immediately flush with plenty of water for at least 15 minutes. If easy to do, Eye contact:

remove contact lenses. Get medical attention.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Destroy or thoroughly clean contaminated shoes. Get medical attention. Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

Ingestion: Rinse mouth. Never give liquid to an unconscious person. Do not induce

vomiting without advice from poison control center. Seek medical advice.

4.2 Most important symptoms and effects, both acute and

delayed:

Risk of serious damage to eyes. Causes burns.

4.3 Indication of any immediate medical attention and

special treatment needed

When handing over this safety data sheet, please make the remark:

"Cleaner". Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media:

CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant

added

Unsuitable extinguishing

media:

Water with a full water jet.

5.2 Special hazards arising from the substance or

mixture:

During fire, gases hazardous to health may be formed.

Issue Date: 24.04.2015 Revision Date: 11.10.2016 Print date: 11.10.2016

SDS_GB - EN - 000000000600049201

Version: 1.3



5.3 Advice for firefighters

Special fire fighting

procedures:

Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not

enter drains.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. In case of spills, beware of slippery floors and surfaces.

6.2 Environmental Precautions:

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to

regulations. Stop the flow of material, if this is without risk.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on

disposal.

Dike for later disposal. Prevent entry into waterways, sewer, basements or

confined areas. Stop the flow of material, if this is without risk.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage,

including any incompatibilities:

Local regulations concerning handling and storage of waterpolluting products have to be followed. Provide alkali-resistant floor. Do not use light

alloy containers.

7.3 Specific end use(s): not applicable

Storage Class: 8B, 8B (Non-combustible corrosive substances)

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

Issue Date: 24.04.2015 Revision Date: 11.10.2016 Print date: 11.10.2016

SDS_GB - EN - 000000000600049201

Version: 1.3



8.2 Exposure controls

Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

> equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should

be adhered to inhandling the chemicals or the mineral oil products.

Eye/face protection: Safety glasses (EN 166) recommended during refilling. Avoid contact with

eyes. Wear closed protection glasses.

Skin protection

Hand Protection: Material: Nitrile butyl rubber (NBR).

Min. Breakthrough time: >= 480 min

Recommended thickness of the material: >= 0,38 mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in trouser

pockets. Wear suitable protective clothing.

Respiratory Protection: Ensure good ventilation/exhaustion at the workplace. Avoid breathing

vapour/ aerosol.

Thermal hazards: Not known.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: liquid Form: liquid

Color: Pale yellow Odor: Characteristic

Issue Date: 24.04.2015 Revision Date: 11.10.2016 Print date: 11.10.2016

SDS_GB - EN - 000000000600049201

Version: 1.3



Odor Threshold: Not applicable for mixtures

pH: 13,5

Freezing point: Not applicable for mixtures

100 °C **Boiling Point:**

Flash Point: Value not relevant for classification

Evaporation Rate: Not applicable for mixtures

Flammability (solid, gas): Value not relevant for classification

Flammability Limit - Upper (%)-: Not applicable for mixtures Flammability Limit - Lower (%)-: Not applicable for mixtures Vapor pressure: Not applicable for mixtures Vapor density (air=1): Not applicable for mixtures

Density: 1,00 g/cm3 (15 °C)

Solubility(ies)

Solubility in Water: Soluble

No data available. Solubility (other):

Partition coefficient (n-octanol/water): Not applicable for mixtures

Autoignition Temperature: Value not relevant for classification **Decomposition Temperature:** Value not relevant for classification Flow time Value not relevant for classification **Explosive properties:** Value not relevant for classification Oxidizing properties: Value not relevant for classification

9.2 Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Stable under normal use conditions.

10.2 Chemical Stability: Stable under normal use conditions.

10.3 Possibility of hazardous

reactions:

Stable under normal use conditions.

10.4 Conditions to avoid: Stable under normal use conditions.

10.5 Incompatible Materials: Strong oxidizing substances. Strong acids. Strong bases.

10.6 Hazardous Decomposition Thermal decomposition or combustion may liberate carbon oxides and

Products: other toxic gases or vapors.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

No data available. Ingestion:

Skin Contact: Causes severe skin burns.

Eye contact: Causes serious eye damage.

Issue Date: 24.04.2015 Revision Date: 11.10.2016

SDS_GB - EN - 000000000600049201

Version: 1.3 Print date: 11.10.2016



11.1 Information on toxicological effects

Acute toxicity

Oral

Product: ATEmix: 5.086 mg/kg

Specified substance(s)

Fatty alcohol ethoxylate LD 50 (Rat): 300 - 2.000 mg/kg

phosphate LD 50 (Rat): > 2.001 mg/kg

Potassium hydroxide LD 50 (Rat): 365 mg/kg

Dermal

Product:

Not classified for acute toxicity based on available data.

Specified substance(s)

phosphate LD 50 (Rabbit): > 2.001 mg/kg

Inhalation **Product:**

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Based on available data, the classification criteria are met.

Serious Eye Damage/Eye Irritation:

Product: Based on available data, the classification criteria are met.

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not

Respiratory sensitizer: Based on available data, the classification criteria

are not met.

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

Issue Date: 24.04.2015 Revision Date: 11.10.2016 Print date: 11.10.2016

SDS_GB - EN - 000000000600049201

Version: 1.3



Other Adverse Effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met.

Fish

Specified substance(s)

Fatty alcohol ethoxylate LC 50 (Fish, 96 h): > 10,1 mg/l

phosphate LC 50 (Fish, 96 h): > 101 mg/l (OECD 203)

Potassium hydroxide LC 50 (Fish, 96 h): 75 mg/l

Aquatic Invertebrates Specified substance(s)

Fatty alcohol ethoxylate EC 50 (Water Flea, 48 h): > 10,1 mg/l

EC 50 (Water Flea, 48 h): > 101 mg/l (OECD 202) phosphate

Potassium hydroxide EC 50 (Water Flea, 48 h): 30 mg/l

Chronic ToxicityProduct: Based on available data, the classification criteria are not met.

Toxicity to Aquatic Plants Specified substance(s)

Fatty alcohol ethoxylate EC 50 (Alga, 72 h): > 10,1 mg/l

EC 50 (Alga, 72 h): > 101 mg/l (OECD 201) phosphate

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

12.3 Bioaccumulative Potential

Product: Not applicable for mixtures

12.4 Mobility in Soil:

Product: Not applicable for mixtures

12.5 Results of PBT and vPvB

assessment:

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other Adverse Effects: No data available.

Water Hazard Class

SDS_GB - EN - 000000000600049201

(WGK):

WGK 1: slightly water-endangering.

Issue Date: 24.04.2015 Revision Date: 11.10.2016

Version: 1.3 Print date: 11.10.2016



SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Do not empty into drains; dispose of this material and its container in a safe

way. When storing used products, ensure that the waste categories and

mixing instructions are observed.

European Waste Codes

12 03 01*: aqueous washing liquids

SECTION 14: Transport information

ADR/RID

14.1 UN Number: UN 3267

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.(Potassium 14.2 UN Proper Shipping Name:

hydroxide, 1-Methylglycin-diacetic acid, Na-salt)

14.3 Transport Hazard Class(es)

Class: 8 Label(s): 8 Hazard No. (ADR): 80 Tunnel restriction code: (E) Ш 14.4 Packing Group: 14.5 Environmental hazards: 14.6 Special precautions for user:

IMDG

14.1 UN Number: UN 3267

14.2 UN Proper Shipping Name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.(Potassium

hydroxide, 1-Methylglycin-diacetic acid, Na-salt)

14.3 Transport Hazard Class(es)

Class: 8 Label(s): 8 F-A, S-B EmS No.:

14.3 Packing Group: Ш 14.5 Environmental hazards: 14.6 Special precautions for user:

IATA

UN 3267 14.1 UN Number:

14.2 Proper Shipping Name: Corrosive liquid, basic, organic, n.o.s.(Potassium hydroxide, 1-

Methylglycin-diacetic acid, Na-salt)

14.3 Transport Hazard Class(es):

Class: 8 Label(s): 8 14.4 Packing Group: Ш 14.5 Environmental hazards: 14.6 Special precautions for user:

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: not applicable.

Issue Date: 24.04.2015 Revision Date: 11.10.2016 Print date: 11.10.2016

SDS_GB - EN - 000000000600049201

Version: 1.3



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

Other information: The classification is in line with current EC lists. It is expanded, however, by

information from technical literature and by information furnished by supplier

companies. The classification results from the Conventional Method

mentioned in regulation EU 1272/2008 (CLP).

Revision Date: 11.10.2016

Disclaimer: The data contained in this safety data sheet are based on our current

knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other

products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no

signature.

Issue Date: 24.04.2015 Revision Date: 11.10.2016 Print date: 11.10.2016

SDS_GB - EN - 000000000600049201

ion Date: 11.10.2016 Version: 1.3